

Dev (1945) Department.

16 SERIES.

Passed
as

G.O. No. 387

Dated 30-1-45

[Despatch Abstract.]

Industries - Sericulture - Model
Rearing House - Central Gmms
and Labor Grants - at Kollidal -
Electrification - ~~done in 1945~~
Sanctioned.

Industries and Commerce Department

From (Name) A. Khaleeli Esq., I.C.S.

Designation Director of
Industries & Commerce,
Station Chepauk, Madras.

Received

Registered

To

23 DEC 1944
The Secretary to Government
Development Department,
Fort St. George,
Madras.

Enclosures:

one sketch
& estimates

No. 3906-D/44 dated 19th December 1944

Sir,

Sub:- Construction of quarters for workmen of the Government Silk Filatures, Kollegal - Construction of Model Rearing House and establishment of central grainage at the Central Silk Farm, Kollegal - Electrification of the buildings - Additional funds required - Sanction - Requested.

A total sum of Rs. 6,000/- has been provided in the estimates sanctioned in the respective G.Os. mentioned below for electrifying (1) the Model Rearing House and (2) the Central Grainage in the Central Silk Farm, Kollegal and (3) the Labour quarters for the workmen of the Government Silk Filatures, Kollegal.

Hannah Mills

G.O.No. and date.	Name of Building.	Amount provided.
1. G.O.No. Ms. 1832 dated 13-8-43.	Model Rearing House (500 + 500)	Rs. 1,000/-
2. G.O.No. Ms. 1226 dated 20-3-44.	Central Grainage.	" 2,000/-
3. G.O.No. Ms. 677 dated 17-2-44.	Labour quarters.	" 3,000/-

The Electrical Engineer, Government Silk Filatures, Kollegal has reported that the funds provided are sufficient for the electrification of the respective buildings only and that additional funds are required for taking supply lines to those buildings from H.T. Mains. He has proposed to take supply through a high tension line from the existing inter filature high tension line up to the point A (vide copy of site plan enclosed) where a double pole transformer substation would be erected and from this point supply would be taken through low tension lines to the various buildings to be electrified in the Central Silk Farm and the labour quarters. I agree with the arrangements proposed. The Electrical Engineer has estimated the cost of these works at Rs. 10,400/- (vide copy of Estimates enclosed). I request that Government may be pleased to sanction a sum of Rs. 10,400/- at an early date to enable the work to be taken on hand.

In this connection, I invite attention to the copy of the site plan enclosed, from which it will be seen that the Model Rearing House in the Central Silk Farm is located in S.No. 58 on one side of the road and the labour quarters in S.No. 47 on the other side of the road, almost opposite to one another. To electrify the Model Rearing House alone the supply line has to be taken up to the post marked B in the Sketch. Beyond this post, the line has to be extended by one post for providing connections for the labour quarters. The cost of the construction relating to exclusively labour quarters has to be recovered from H.M.G. but in view of the very small increase of expenditure that is involved in extending the supply line by one post as stated above and in view of the fact, that in any case such a high tension line, substation and low tension

1M

787-12345
Director of Industries & Commerce.

✓

Estimate Form - Abstract.

Central Silk Farm, Kollegal.

High Tension Feeder and Transformer Station.

Item No.	Quantity.	Description of Work.	Rate.	Per.	Amount.
					Rs. as per
1.	4 Nos.	Asene treated wooden poles.	Rs. 26/-	Each.	104- 0- 0
2.	6 "	13.2 K.V. Pin Insulators.	" 8/7/-	"	50-10- 0
3.	6 "	13.2 K.V. Strain Insulators.	" 3/12/-	"	22- 8- 0
4.	240 lbs.	Copper Wire H.D. 7/16 stranded.	" 1/-	lb.	240- 0- 0
5.	150 "	G.I. Wire No. 8 S.W.G. for ground.	" 0/8/-	"	75- 0- 0
6.	3 Nos.	Ground Wire Supports.	" 2/8/-	Each.	7- 8- 0
7.	L.S.	D.P. Structure and Transformer Support.	L.S.		100- 0- 0
8.	3 Nos.	Stays complete.	" 20/-	"	60- 0- 0
9.	3 "	Cross arms for H.T. Line.	" 7/-	"	21- 0- 0
10.	4 "	5 K.V.A. Transformers.	" 975/-	"	3,900- 0- 0
11.	3 "	13.2 K.V. Expulsion fusible cut outs.	" 75/-	"	225- 0- 0
12.	3 "	13.2 K.V. Lightning arresters.	" 140/-	"	420- 0- 0
13.	L.S.	Interconnecting wires etc.	L.S.		150- 0- 0
14.	3 Nos.	13.2 K.V. Pin for structure.	" 8/7/-	"	25- 5- 0
					Rs. 5,400-15- 0
		15% centage on the above materials when the above are purchased from the Mysore Electricity Department as stock incidentals.		"	810- 0- 0
					Rs. 6,210-15- 0

Electrification of Central Silk Farm, Kollegal - Feeder line from the Transformer Station to Grainage, Labour Quarters and the Irrigation pump.

1.	13 Nos.	Wooden Poles.	Rs. 30/-	Each.	390- 0- 0
2.	16 "	Cross arms 4 way.	" 15/-	"	240- 0- 0
3.	48 "	L.T. Pin Insulators.	" 2/-	"	96- 0- 0
4.	36 "	L.T. Shackle insulators.	" 2/-	"	72- 0- 0
5.	6 cwts.	Copper Wire No. 6 S.W.G.	" 89/-	Cwt.	534- 0- 0
6.	168 lbs.	-do- 6 "	" 89/-	"	134- 0- 0
7.	24 Nos.	Copper binding wires 14 S.W.G.	" 1/4/-	lb.	30- 0- 0
8.	6 "	Stay sets complete.	" 10/-	Each.	60- 0- 0
9.	4 doz.	Linen tape.	" 0/10/-	"	30- 0- 0
10.	6 Nos.	Street Light fixtures.	" 27/-	"	162- 0- 0
11.	2 "	L.T.I.C.T.P. 60 A.M.P. Switch box.	" 225/-	"	450- 0- 0
12.	100 yds.	7/64 V.I.R. Wires.	" 79/-	100 yds.	79- 0- 0
		Cost of Materials.	Rs.		2,277- 0- 0
		Labour. L.S.			180- 0- 0
					2,457- 0- 0

Estimate Form - Abstract.


H.T. and L.T. Distribution Lines.


1. H.T. Feeder line from the existing H.T. line between the two filatures and the proposed Transformer Station at point A in sketch and the step down transformer station.	Rs.	6,210-15- 0
2. L.T. Feeder lines from the Transformer to the Central Grainage and Labour Quarters and pumping set at the well.	"	2,457- 0- 0

	Total	Rs. 8,667-15- 0
		" 433- 6- 0
3. 5% Contingency.		" 1,300- 2- 0
15% Supervision, office expenses and tools etc.		-----
		10,401- 7- 0



		or
	Rs.	10,400- 0- 0


[Handwritten mark]





153
22/12/44





Mr. N. S. S. & D. S. S.
30.1.45

91
30.1.45

Des. Dept.

Sub: Industries - Sericulture - Model Rearing House,
Central Grainage and Labour Quarters at
Kollonel - Electrification - Additional
Expenditure - Sanctioned.

Copy to (B)
H 57-187 (D)
Copy to (E)
H 1 2 3

Read again: G.O. No 1832 Ms Des dated 13.8.43
G.O. No 677 Ms Des dated 17.2.44
G.O. No 1226 Ms Des dated 20.3.44
Read also: From the D.I.E., No 3906 D/44 dated 19/2/44
Order No 387. Ms Des dt 30.1.45

M - 1 1 5 M
p 2 b 1 3

The Govt. approve the proposal
of the D.I.E. to incur an additional
expenditure not exceeding Rs 10,400/- (Rupees
Ten thousand and four hundred), as per
details in the annexure below, on the
electrification of the Model Rearing House, the
Central Grainage and the Labour Quarters,
at Kollonel, for which a sum of Rs 6000/-
was already sanctioned in the G.O.s cited.

The suggestion of the D.I.E. that
the small ^{addl} expenditure relating to ^{the electrification of} the labour
quarters need not be recovered from the
Govt. of India on behalf of H.M.G. in the Bill
is accepted.

2. The expenditure should be debited
to "43 a. Industries - Industries - J2. Sericulture -
Expansion of Mulberry Cultivation".

The A.G. is authorised to admit
the expenditure towards the purchase of land

later, and the D.I.E. is requested to apply
due care for additional appropriation of
funds required to meet this expenditure.

Ans
3.145.

Def 6.12 ✓
the D.I.E. ✓
H.W. In
Copy to S.F.

Annexure

Estimates of Additional expenditure for electrification

of Model Pump House, Central Drainage & Labour Quarters at Kollat

H.T. Feeder line from existing H.T. line
between the two side drains and the proposed
Transformer Station and the Step down Transformer
Station.

R 6,210-15-0.

L.T. Feeder line from the Transformer

the Central Drainage and Labour Quarters

and pump house etc. at the well

R 2,457-0-0

Total

R 8,667-15-0

5% Contingencies

433-6-00


5% Supervision, Office expenses, tools etc

1,300-2-00

10,401-7-00

Ans 2.11/45

R 10,400-0-0



204

Office of the Chief Engineer, P.W.D.,
(General, Buildings and Defence)
Chennai, Madras.

OST COPY OF TELEPHONIC MESSAGE NO. 3050-11/45, dated
23rd July 1945.

From: The Chief Engineer, P.W.D. (Buildings and Defence),
Chennai, Madras.

To: The Secretary to Government, Development Department.

Sub: Industries - Sericulture - Model Sericulture House,
Central Grainage and labour quarters, at
Kollegal - Electrification - supply of electric
materials.

H-7-84(F) Please arrange to furnish a copy of G.O. No. 387 (11)
Development dated 30-1-45 quoted at the top of G.O. No.
H-7-84(F) No. 2684, dated 10th July 1945.

(True Copy)

vsr/23/7/

V. Ramani 24/7/45
SUPERINTENDENT.

2nd time
is being
P.C.
28/7/45

Please issue T.M.
& P.C. with encl.

T.M.

c 44789D/45 Dr Dept

To The C.E., P.W.D. (Building & Defence)


Sub: Industries - Sericulture - Model Rearing House, Central
Grainage & labour quarters at Kollegal - Electrifi-
cation - Supply of electric materials.

P/4

Ref: your ^{P.C. 3} T.M. d 23.7.45

A Cpy of G.O. no. 38.7 (MS) Dv d 30.1.45 is

furnished with the first Cpy of this T.M.


567ux

28/7/45 ^{28/7/45}

10. Despatched.
with encl.
28/7.

Government of Madras



PUBLIC (SERVICES) DEPARTMENT

2/1/12

G.O. No. 862, 28th April 1941

Public Services—Subordinate Services—Pass in Cambridge School Certificate Examination—Recognition as equivalent to minimum general educational qualification—Each case to be decided on merits.

Order—No. 862, 28th April 1941 (M)
 The Director of Public Instruction has recommended that the Cambridge School Certificate Examination may be recognized as a qualification for the public service like the Matriculation Examination of the Universities of this Province subject to the same conditions as those on which the examination is recognized as equivalent to the Matriculation Examination for the purpose of admission to the college courses of study. The Commission, which was consulted, suggests that each case may be decided on its merits provided that the candidate has undergone a regular course of study at a school before passing the Cambridge School Certificate Examination. His Excellency the Governor of Madras accepts the Commission's suggestion and accordingly directs that each case be submitted to the Government for orders together with full particulars as to the course of study of the candidate in a school, the subjects taken at the examination, marks obtained, etc.

(By order of His Excellency the Governor)
 S. V. RAMAMURTHY,
 Chief Secretary.

To all Heads of Departments,
 the Departments of the Secretariat,
 Copy to the Madras Public Service Commission (with C.T.).

T.M.

S. M. D. (Bansal) & Co.
 Chief Secretary.

2/1/12
 2/1/12

Industries & Commerce DEPARTMENT.

In reply, please quote
number, date and
short title.*

Received _____ Registered _____


68380/45

From (Name) A. Khalceeli, Esq., I.C.S.

(Designation) Director of Industries & Commerce.

Post Box 432, (Station) Madras

Telegraphic Address _____



To

The Secretary to Government,
Development Department,
M a d r a s.

D. B. No. 3906-D/44, dated 2nd October 1945

Sir,

Sub. Industries - Sericulture - House

Rearing House - Central grainage
and Labour Quarters at Kollegal.

Electrification of
Ref. G.O. No. Ms. 387, Development, dated
30.1.1945 and G.O. No. Ms. 2684,
Development, dated 10.7.1945.

ENCLOSURES

SPARE COPIES

As the necessary materials for putting up the High Tension line proposed in my letter No. 3906-D/44 dated 19.12.1944 could not be procured either from the Electricity departments of Madras or Mysore or in the open markets, I have decided to take a L.T. supply line as shown in the enclosed blue print from the Kollegal Silk Filatures to provide power and lighting for the Sericultural Farm and buildings and the labour quarters. The Sericultural Expert has just returned from China with seeds of Foreign races which have to be preserved in cold storage. In view of the urgency therefore of putting in operation the cold storage room sanctioned for the Model

B | Rearing House, Kollegal, I have asked the
 A- | Electrical Engineer in charge of the Filatures
 at Kollegal to proceed ahead with the work.
 I request Government may kindly approve of my
 action.

S. S. Palan

for Director of Industries
 and Commerce.

~~S.~~

Cks/-2.

To H.S.

Dis. Dept

The proposal above is to change from a H.T.
 Supply (Contemplated or approved by Govt) line to a L.T. Supply
 'A' on line. And the approval of Govt is asked for this change. The
 exact implications of this proposed change are not apparent
 at least in regard to the expenditure involved. D.I. may
 perhaps be asked on this. Subject to order, a D.I. memo
 to the D.I. is submitted for approval. (It is only 'post facto'
 approval of Govt that D.I. seeks, as he has already taken
 action in anticipation of Govt orders.)

11.11.45

11.11.45

11/11 Please issue
 11/11 12-11-45
 172
 14 x 1

13-14
 11/11

A on p 1 of 13

In G.O. 387 P. 30 d 30/1/45,
 the expenditure was sanctioned
 in detail as per H.T. supply

Memorandum No. 68980 D/45 - M-1 dated 12.11.45.

Sub: Industries - Sericulture - Model rearing
 houses, Central granage etc at Kollonel -
 Electrification of

Ref: Govt. Order No. D.D. 3906-D/44 dated
 2.11.45

The D.D. is requested to
 report clearly the implications of the change
 from the H.T. supply line to L.T. supply line
 referred to in the letter cited and to state
 whether such a change involves any
 revision of the previous orders of the Govt.
 in respect of the expenditure sanctioned for
 the electrification scheme or requires any special

14-00000

order of the Bill 1 on many particular points & then
to the change.

11145

Long

OK
14.11.45


7. 82. 228e.

R 5.12.45

Quesada. - A fine degree is passing as the points on which
the appearance of that are not clearly indicated in the eye.
Subject towards a single one me to his Bill in Submittal.

C.F. 22 (a).

INDUSTRIES AND COMMERCE DEPARTMENT.



In reply, please quote
number, date and
short title.*

Received _____

From (Name) A. KHALEELI, ESQ., I.O.S.,

(Designation) Director of Industries &
Commerce.

Post Box _____, (STATION) MADRAS.

Telegraphic Address _____

To

The Secretary to Government,
Development Department,
MADRAS.

1945.

ADB-3906-D/44, dated 26th November 1945.

Sir,

ENCLOSURES _____

Sub:-Industries - Sericulture -
Model Rearing House -
Central grainage etc., at
Kollegal - Electrification.

Ref:-Government Memorandum
No.68980-D/45-M.1, dated
12-11-1945.

SPARE COPIES _____

The proposed L.T. line will be able to take up all the load at present. If at a later date, on account of the construction of the proposed office buildings for the Sericultural Expert and any other new buildings that may be found necessary, the electrical load increases beyond the capacity of the present L.T. line, the question of changing over to a H.T. line will then have to be considered.

It is estimated that the cost of putting up the L.T. Line now proposed will be about Rs.4,980/- as against the original estimate of Rs.10,400/- for the H.T. Line. My letter dated 2-11-45 to Government on the subject

(P.T.O.)

A | was only for intimating Government of the
alteration in the scheme rendered necessary
owing to non-availability of materials.

S. Jeyalan

For Director of Industries & Commerce.

VR/27-11-45:

13/12/45
13/12/45

14/12/45
P.L. min
103
13/12

Memo No 6890 D/45- 3 d 13.12.45

Sub.: Industries - Service - ~~Central~~ Grainage and Labour
quarters at Kollagat - ~~Electricity~~ - Change
from H.T. supply line to L.T. line.

H. 8-8 (H)

H 1-2 of
- 6 of

Ref.: (i) G.O. No 387 Ms. Sec dated 30.1.45 -

(ii) from the ~~Office~~, No D.B. 3906 D/44 d 2.11.45
and 26.11.45 -

A on 6.2.46

The Govt. approve the action of the
~~Office~~ in arranging to take an L.T. supply line
instead of an H.T. line, as originally proposed in the P.O.C
from the Kollagat Sili Silavaru, Kollagat for the supply of
power to the Central Grainage and Labour quarters at
Kollagat, ^{to the} in view of the fact that ^{necessary} owing to
~~the~~ ^{the} ~~change was due to~~ ^{non availability}
of requisite materials.

To The D. I. Secy
A.G. Hinglani
Comd & Secy. ~~admission~~
4/12/45
Desp
12/12/45

u
u u u

P.T.O.

Please see folder marked A on 7-2-45 and 11-11-45.
 Subject: Order, a draft order to be
 submitted for approval of the major office assignment by
 and Dir. Dept.

P.W.D. / Fin.

P.W. Dept.

The draft order may be passed to the
 be passed on to Finance.

W.D.
 not done


ble
 10/11/45

AST


10/11/45

11-11-45
 Fin

Sec in Finance



Dev U.O.
 68980D/45-2
 5-12-45



Pho. E
 11-12-45
 11-12-45

11 DEC 1945

20 57217 Acct-B-1
 11-12-45

20 57217 Acct-B-1
 11-12-45

Dev Dept

10 u.s.

The draft memo on pt-1 above may issue

now.

K
12/12/45
12-12-45

h
13.12.45

p19.01 [Issued as Memo 689802/45-3 d 13.12.45]

clerk

Sub. Dr. Doshi - Sanitation: Model Rang house, Central
Tramway etc. - Electrification - Additional expenditure

Cor. 754²² Gen. Ref. from the D.I.C., No 3906 Thurs 21/9/12
H-1-2 ef

To Addrs.

In the letter at H-1-2 ef, the D.I.C. has
applied for sanitation - to incur an expenditure of Rs 10, 400
M on 1st 6; in connection with the electrification of the Model Rang house
the central grainage and the labour quarters and also a sum
of Rs 600/- already sanctioned for the purpose in respect of main
lines. The estimates originally prepared for these works do not
apparently appear to have been carefully prepared. In view
of the estimate now stated, the additional expenditure may
perhaps be approved subject to orders on the following points
The labour quarters have been approved by the HTG
as an item of work coming under the Govt. San. Schemes and
by them. Any expenditure on electric fittings for the labour
quarters should therefore be debited to the HTG as part of the

original work. For the reasons stated at in para 2 on
H-2 of, the DICE considers that the expenditure being small, Nwp 100,
it need not be debited to HMG and recovered from him. The point
It has not however been stated in the estimates what V/P 3-4 of
the exact amount on account of this item is which it is
proposed that the Govt might bear instead of the HMG.
In view of the recommendation of the DICE at Nwp 2 of,
this amount need not perhaps be specifically ascertained.
For orders there is the suggestion at Nwp 2 of will be
agreed to.

Subject to orders on the above, a draft order is
submitted for approval. It may be sent to PWD for
their Dept for acceptance.

C/3
10 JAN 1945
165

AM
3145

PWD
and Fin

Accepted in PWD
for 10/1/45

Dr 20.75480/44-1
9.1.45

Finance (Accts B)

100-1650/45-1
ASSISTANT
10 JAN 1945
1650 Accts B
E D O L L K

The cost to be recovered from H.M.G on account of

Para 3 p. 101.
no charge G.O. (K)
346, Dec. 110
Z up 77 C.F. and
57-88
C.F. of (D)
1-2-45

of electrification of the labour quarters of the Govt. Silk
Institutes. Kollegal will be only Rs. 3,000^{ing.} the amount
included in the estimate of Rs. 50,500 sanctioned in
G.O. 677 Decr. dt 17-2-44. The D.I.G. states that the very
small increase of expenditure involved in extending the
supply line by one post need not be charged to the
D.I.G. This may be agreed to, as the amount will be
~~subject to order on the above point~~ small.
The draft order
may be accepted.

The original estimates in the three cases mentioned
under para 1 p. 101 (of which the estimated cost of
electrical installation was only part of the main
estimate) were treated as 'new service'. ^{But the} present
increase ~~was not treated as new service~~ viz Rs. 10,400.
⁴⁵ It is not really an increase to the original estimates, which
provided only for electrification of the buildings ~~only~~
^{present} The estimate of Rs. 10,400 is for taking supply lines

of 17 N.F.
(D)

to those buildings from the High Tension Mains. ~~It is~~
See portion A. on p. 1 C.F. It is therefore
in the nature of a new work.

As the estimated cost exceeds Rs. 10,000., D.D. may
be requested to obtain orders in full circulation as for
a major work and hence 'new service' and also the
authorisation of H. D. ^{in due course} for a supplementary state-
ment of expenditure.

ne
11.1.45

US
12.1.45

DWD
12.1.45 \$
Devl.

US in 2m 1650 Aml B:
1-45

Dev. Dept

3.204 D/45
15-1-45

To Addl. S.S.

This file deals with the proposal of the D.G. & C. to incur an expenditure
of Rs 10,400/- ^{taking supply lines in respect of} for the electrification of the Model Rearing House, the Central Grange
and the labour quarters ^{of the same kind} at Kollegal, in addition to a sum of Rs 6,000/- already
sanctioned for the purpose. ~~The electrification is proposed to be effected by~~
~~taking supply lines from the high tension mains.~~ The expenditure in connection
with the electrification of the labour quarters is to be ^{ordinarily defensible &} properly borne by the

M. r/cf

Central Govt on behalf of H.M.G. but in view of the very small increase of expenditure involved in extending the supply line by one post, the D.G.&C. has proposed that no recovery on this account need be made from the H.M.G. ^{in this case} ~~and~~ the entire additional expenditure of Rs 10,400 ^{will therefore} ~~may~~ be met from the Provincial funds. The Finance Dept. agree to the proposal. The draft order below explaining ~~the~~ the proposal ~~may be circulated for approval.~~ The case may be circulated for approval of the proposal.

18/1/45

201
19.1.45

19/1/45

S. Ray (approved)

21/1/45

First 2d.

vide in
F. 4. 100

A₃

A₁

A₄

A₂

KE

M. S. R. (signature)

NP


21.1.45

25/1/45

26/1/45

AH.
29/1/45

2-30/1/45



SR
26/1/45

[Issued as G.O. no. 387 (MS) Dated 30.1.45]

117-8 of

Chow

New Service Act 1945

18.1.45